
### Front Page



#### Inside 1





# 2 Feet / minute






One labour can use the machine.

Accurate (C



Its high speed of 2 Feet / minute, saves you from all the time delays by conventional methods and saves valuable time and money.

Its **precision** and accuracy takes gives you the perfect grooves, you want, with no material wastage and accurate positioning. Further perfect grooving, ensures there is no damage and leakage later on.



#### Inside 2





### Don't Weaken the Walls & your Spirits...!

Our plumbing and electrical work often causes more damage to the walls than any other activity. The conventional hammering, **weakens the joints** and may progress to **water seepage** gradually apart from sound leakage. Moreover the noise is always a pain at the construction site.

Apart from these drawbacks the major setback is the time **taken to complete the work**, as subsequent works are depending on this and are always in pipeline, a delay in this has further repercussions on the **overall delay and commitments**.



## Back Page

Specification	
230 V.	
50 HZ.	
2000 W.	
RPM-	2200/Min.
Grooving Deapth	25/35 mm.
Grooving Width	25/35 mm.
Weight	8 KG
Cutting speed on AAC wall	2'/min.





Citadel Ecobuild Private Limited, 759, Bhandarkar Ro Deccan Gymkhana, Pune, Maharashtra - 411 004, www.citadelecobuild.com

